

H3c100g optical module



Overview

The H3C QSFP-100G-ZR4-WDM1300 compatible QSFP28 optical transceiver module is designed for use in 100GBASE Ethernet, providing throughput up to 80 km over single-mode fiber (SMF) using a wavelength of 1310 nm via duplex LC connectors. The 100G signal is carried over four wavelength. Optical modules transmit signals over optical fibers. Optical transmission features low loss and is fit for long distance transmission. It. H3C has model QSFP-100G-LR4-WDM1300 optical module products, which can support 100G Ethernet transmission of 10KM in single-mode fiber, Moduletek Laboratory has tested the sample of this product, which is convenient for you to know more about the product's performance indexes and the effect of. The H3C QSFP-100G-SR4-MM850 100G QSFP28 SR4 is a 4×25Gbps multi mode fiber, hot pluggable optical transceiver. The module integrates four parallel lanes with data rate at 25.

Article Content

H3C QSFP-100G-ER4-SM1310 100GBASE-ER4 Lite

H3C QSFP-100G-ER4-SM1310 compatible optical transceiver module is designed 10G SFP module

☐☐ BUY ORIGINAL FIBER OPTIC EQUIPMENT FROM PAKISTAN'S No.1 COMPANY ☐☐
Looking for Fusion Splicing Machines, OTDR, Optical Power Meter,

H3C Compatible QSFP28 DCO 100G DWDM C-band Tunable

H3C Compatible 100G Coherent QSFP28 DCO Transceiver Module (Tunable, LC/UPC, C-temp, SFF-8636) The 100G ZR QSFP28-DCO pluggable transceiver supports up to 80km (un-amplified) and up

H3C QSFP-100G-LR4-WDM1300 Optical Module

The performance indexes of the QSFP-100G-LR4-WDM1300 sample module on the test board are tested under the condition of 45°C in the laboratory

China Optical Transceiver Module & Mellanox Network

CN/HK stock and fast delivery for switches, NICs, optics, DAC/AOC cables, APs. Gold/Elite-grade expertise with selection and compatibility support.

SFP vs SFP+ vs QSFP28 vs QSFP-DD: 2026 Optical

SFP vs SFP+ vs QSFP28 vs QSFP-DD: Master optical transceiver selection for 1G to 800G AI networks with our lab-verified guide.

H3C QSFP-100G-LR4-WDM1300 100GBASE-LR4 10km 100G

H3C compatible QSFP-100G-LR4-WDM1300 optical transceiver modules from QSFPTEK equipped with LC duplex connectors that can transmit 10km through SMF OS2 fiber optic cable. This 100GBASE

H3C QSFP-100G-SR4-MM850 Compatible 100GBASE-SR4 QSFP28 850nm

H3C QSFP-100G-SR4-MM850 compatible optical transceiver is a parallel 103.1Gbps Quad Small Form-factor Pluggable QSFP28 module for use in 100GBASE Ethernet. QSFP28 SR4 provides 100Gb/s

H3C QSFP-100G-ER4-SM1310 Compatible 100GBASE-ER4 QSFP28

The 3rd-party 100G QSFP28 ER4 fiber transceiver module is best for 100G telecom connections, ideal for long-haul applications in the DCI, Metro network, high-performance computing networks, etc.

H3C QSFP-100G-SR4-MM850 100GBASE-SR4 100m

H3C QSFP-100G-SR4-MM850 Compatible 100GBASE-SR4 QSFP28 Optical Transceiver Module (MMF, 850nm, 100m, MTP/MPO, DDM) H3C compatible

H3C QSFP-100G-LR4-WDM1300 Datasheet

The H3C QSFP-100G-LR4-WDM1300 QSFP28 module provides 100GBase-LR4 throughput up to 10km over a standard pair of single mode fiber (SMF) with duplex LC connectors. Taking

H3C SFP-25G-SR-MM850 Compatible 25GBASE-SR

H3C SFP-25G-SR-MM850 Compatible 25GBASE-SR SFP28 850nm 100m DOM Duplex LC/UPC MMF Optical Transceiver Module

H3C Compatible QSFP28 100GBASE-ZR4 1310nm

The H3C Compatible 100GBASE-ZR4 Optical Transceiver Module is designed for

H3C QSFP-100G-SR4-MM850 Compatible LINK-PP 100G QSFP28

The H3C QSFP-100G-SR4-MM850 100G QSFP28 SR4 is a 4×25Gbps multi mode fiber, hot pluggable optical transceiver. The module integrates four parallel lanes with data rate at

100GBASE-SRBD QSFP28 850nm 70m (OM3) /100m (OM4) /150m (OM5) MMF Module

...

QSFP-100G-SRBD optical module supports 4×25G data transmission mode with high port density, low power consumption and low cost. NADDOD 100G optical module is suitable for 100G Ethernet, 112G

100GBASE-LR4 QSFP28 1310nm 10km COB SMF Module for H3C

H3C QSFP-100G-LR4 optical module using COB packaging technology supports 4×25G data transmission mode with high port density, low power consumption and low cost. NADDOD 100G

H3C Compatible QSFP28 100G OWDM 1300.05nm 40km DOM

H3C Compatible 100G QSFP28 OWDM 40km DOM Duplex LC/UPC SMF Optical Transceiver Module (SMF, 1300.05nm, ≤40km, LC/UPC, DOM) The H3C Compatible QSFP28 transceiver provides

H3C QSFP-100G-SR4-MM850 Compatible LINK-PP 100G QSFP28

H3C QSFP-100G-SR4-MM850 Compatible LINK-PP LQ-M85100-SR4C 100GBASE SR4 QSFP28 Optical Transceiver Module (MMF, 850nm, 100m, MTP/MPO, DOM) The H3C QSFP-100G-SR4

H3C QSFP-100G-LR4-SM1310 Compatible 100GBASE-LR4 QSFP28 DOM Optical ...

H3C QSFP-100G-LR4-SM1310 compatible QSFP28 transceiver module is designed for use in 100Gb Ethernet links up to 10km in data centre, Telecom, service provider applications.

100GBASE-LX4 QSFP28 1310nm 2km/100m SMF/MMF

QSFP-100G-LRX4 optical module supports 4×25G data transmission mode with high port density, low power consumption and low cost. NADDOD 100G optical

H3C QSFP-100G-ZR4-WDM1300 Compatible

H3C QSFP-100G-ZR4-WDM1300 Compatible 100GBASE-ZR4 QSFP28 Optical Transceiver Module (SMF, 1310nm, 80km, LC, DOM) The H3C QSFP-100G-ZR4

H3C SFP-25G-SR-MM850-I Compatible 25GBASE-SR SFP28 850nm

H3C SFP-25G-SR-MM850-I Compatible 25GBASE-SR SFP28 Industrial Optical Transceiver Module for Data Center and Telecom (MMF, 850nm, 100m, LC, DOM) The H3C SFP-25G-SR-MM850-I

25GBASE-SR SFP28 850nm 70m (OM3) /100m (OM4) MMF Module

SFP-25G-SR SFP28 optical module offers optimal input/output (I/O) performance and 2.5 times the fiber capacity of 10G Ethernet performance. The biggest advantage that NADDOD 25G Ethernet

100GBASE-PSM4 QSFP28 1310nm 2km SMF Module for H3C

QSFP-100G-PSM4 optical module supports 4×25G data transmission mode with high port density, low power consumption and low cost. NADDOD 100G optical module is suitable for 100G Ethernet, 112G

H3C QSFP-100G-LR4-WDM1300-I Compatible 100GBASE-LR4

The H3C QSFP-100G-LR4-WDM1300-I Compatible QSFP28 Optical Transceiver Module is designed for use in 100GBASE Ethernet throughput up to 10km over single mode fiber (SMF) using a wavelength

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://charratcommunication.fr>

Email: sales@charratcommunication.fr

Phone: +33 1 42 68 93 17

Address: 15 Rue de la Paix, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

