

# Industrial DTU Switches



## Overview

Double throw safety switches are designed for commercial, industrial, and manufacturing installations. Schneider Electric DTU365 Safety switch, double throw, non fusible, 400A, 600 VAC/VDC, 3 poles, 350 hp, NEMA 1 Tariff may apply if shipping to the United States. Tariff costs are calculated and will be displayed in the shopping cart. Need a large quantity or a. VT-M2M-DTU-LoRa is an entry-level data transmission unit (DTU) that leverages LoRa spread spectrum modulation technology that features high sensitivity for long-range, reliable wireless data transmission while consuming less than 3W of power under load. VT-M2M-DTU-LoRa provides a reliable and. DTU is a terminal device of a switching station, generally installed in conventional switching station, outdoor small switching station, ring network cabinet, small substation, box-type substation, etc. It completes the acquisition and calculation of position signal, voltage, current, active power. Modular design-switch handle, lock-plate, switch mechanism; line and load bases are field replaceable. Padlock provisions in the center "OFF" position. Get 30 days to pay with Net 30 Terms.



## Article Content

Square D™ DTU326 391331

Double throw safety switches are designed to transfer a load from one power source to another power source. 30 to 100 A F series switches can be field converted to transfer a power source from one

What is the difference between DTU, RTU, FTU and

This article mainly focuses on the four commonly used DTU, RTU, FTU and TTU in industrial control. Control and transmission units are introduced. DTU DTU (Data

Schneider Electric DTU223 Double Throw Safety Switch

Schneider Electric DTU223 Description DTU223 Specifications Double throw safety switch used for manual transfer of one load between two power sources N wire type General purpose (indoor)

Schneider Electric DTU363 Double Throw Safety Switch

Schneider Electric DTU363 Description Schneider Electric Double Throw Safety Switch, Heavy Duty Non-Fused, Series: DTU, 600 VAC/VDC, 100 A, 40 hp, 3

Safety switch, double throw, non fusible, 2 pole, 2 wire, 240VAC ...

Double throw safety switches are designed for commercial, industrial, and manufacturing installations. All heavy duty safety switches feature a quick-make, quick-break operating mechanism, a dual cover

Schneider Electric DTU363 Heavy Duty Double Throw Switch

Buy industrial-grade square D double throw safety switches with quick-break ops, color-coded handles, and reliable performance for commercial & manufacturing use in harsh environments

VT-M2M-DTU-LoRa Industrial DTU | Vantron Industrial Communication

VT-M2M-DTU-LoRa provides a reliable and efficient way to connect field devices to a central network. Field data from sensors or actuators is transmitted to the device via the RS232 or

DTU de-energized tap changer

The Hitachi Energy type DTU is a modular, linear-action, bridging-type, de-energized tap-changer design available with a current rating of up to 500 A per deck and up to 650 kV BIL.

How to Distinguish DTUs, Routers and Industrial IoT

In summary, DTUs, routers and industrial gateways are quite different in terms of purpose, communication method, hardware and application.

Industrial Networking Solutions | Reliable Switches,

Leading provider of industrial networking solutions, offering reliable Ethernet switches, fiber transceivers, Serial Device Server,DTUs,CPE and IoT devices for

30-100 A Types DT, DTU (Series F)

Supplied as standard for switching one load between two power sources, and may be field-converted to switch one power source between two loads.

doublethrow HO 2.PDF

These exclusive F Series Double Throw Switches are rated heavy-duty 3/4 making them ideal for use in the most rugged conditions, including residential, light commercial and industrial manual transfer

What Is DTU and What Can It Be Used for?

Learn what a DTU is and its uses in industrial applications. Discover its features, benefits, and how it enhances connectivity.

DTU363 (C82343) SWITCH 100A 3PDT 600V

Product Details DTU363 (C82343) SWITCH 100A 3PDT 600V Safety switch, double throw, non fusible, 3 pole, 3 wire, 600VAC, 600VDC, 100A, Type 1 The Square D™ by Schneider Electric brand Double

Key Devices in Smart Grids: DTU, FTU, and TTU

DTU, as an industrial-grade communication device, is primarily responsible for data collection, transmission, and remote monitoring. It can connect to various

DTU-Distribution Automation-NOVOSENSE Microelectronics

DTU is a terminal device of a switching station, generally installed in conventional switching station, outdoor small switching station, ring network cabinet, small substation, box-type substation, etc.

DTU222 60A 2P 240V NF MAN.X-FER SWITCH

Product Details DTU222 60A 2P 240V NF MAN.X-FER SWITCH Safety switch, double throw, non fusible, 2 pole, 2 wire, 240VAC, 250VDC, 60A, Type 1 The Square D™ by Schneider Electric brand

Safety switch, double throw, non fusible, 2 pole, 2 wire, 240VAC ...

All heavy duty safety switches feature a quick-make, quick-break operating mechanism, a dual cover interlock, and a color coded indicator handle. This double throw safety switch is a non fusible

Schneider Electric DTU224NRB Double Throw Safety Switch

Schneider Electric Double Throw Safety Switch, Heavy Duty Non-Fused, Series: DTU, 240 VAC/250 VDC, 200 A, 15 hp, 2 Pole, 10 kA Short Circuit, 2 Form C DPDT Contact Form, Class H/K Insulation,

DTU222 60A 240V 2POLE NONFUSEABLE TYPE1

Product Details DTU222 60A 240V 2POLE NONFUSEABLE TYPE1 Safety switch, double throw, non fusible, 2 pole, 2 wire, 240VAC, 250VDC, 60A, Type 1 The Square D™ by Schneider Electric brand

Schneider Electric DTU365 Safety switch, double throw, non fusible ...

Schneider Electric DTU365 Safety switch, double throw, non fusible, 400A, 600 VAC/VDC, 3 poles, 350 hp, NEMA 1. Tariff may apply if shipping to the United States. Tariff costs are calculated and will be

DTU364 Square D Disconnect Switch

Shop DTU364, Disconnect and Safety Switches by Square D at Electrical . Enjoy a 2-year warranty and fast, same-day shipping. Order now!

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://charratcommunication.fr>

Email: [sales@charratcommunication.fr](mailto:sales@charratcommunication.fr)

Phone: +33 1 42 68 93 17

Address: 15 Rue de la Paix, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

